

Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] Unitherm[®] Steel W-120

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Fire protection system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Deutschland GmbH Kornwestheimer Str. 103-107 D-70439 Stuttgart
Telephone E-mail address of person responsible for the SDS	:	+49 711 8009 0 EHS@de.sika.com

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49(0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H317	May cause an allergic skin reaction.
Precautionary statements	: Prevention: P261	Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/ eye protection/ face protection.
	Response:	



Revision Date 10.04.2017	١	Print Date 19.12.2	
	P333 + P313	If skin irritation or rash occurs advice/ attention.	: Get medical
	P362 + P364	Take off contaminated clothin before reuse.	g and wash it
	Disposal: P501	Dispose of contents/container ance with local regulation.	in accord-

Hazardous components which must be listed on the label:

- 204-798-3 triisobutyl phosphate
- 55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
triisobutyl phosphate 126-71-6 204-798-3	Skin Sens.1; H317	>= 1 - < 2,5
ammonia 1336-21-6 215-647-6 01-2119488876-14-XXXX	Skin Corr.1B; H314 Eye Dam.1; H318 Aquatic Acute1; H400	>= 0,025 - < 0,25
9(or 10)-sulphooctadecanoic acid, potassium salt 67968-63-2 267-966-5 01-2120101105-80-XXXX	Eye Dam.1; H318 Repr.1B; H360D Aquatic Chronic3; H412	>= 0,025 - < 0,25
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) 55965-84-9	Acute Tox.3; H331 Acute Tox.2; H310 Acute Tox.3; H301 Skin Corr.1B; H314 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 0,0002 - < 0,0015

For the full text of the H-Statements mentioned in this Section, see Section 16.



Version 3.0

SECTION 4: First aid measures

4.1 Description of first aid measu	res	5
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	d e	effects, both acute and delayed
Symptoms	:	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks	:	sensitising effects
		May cause an allergic skin reaction.
4.3 Indication of any immediate m	nec	lical attention and special treatment needed
Treatment	:	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. 5.2 Special hazards arising from the substance or mixture Hazardous combustion products No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



Revision Date 10.04.2017	Version 3.0	Print Date 19.12.201
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental release	se measures	
6.1 Personal precautions, prote	ctive equipment and emergency procedures	
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanitary	sewer system.
6.3 Methods and materials for c	ontainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust). Keep in suitable, closed containers for disp	
6.4 Reference to other sections		
	action 0	

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	: Keep container tightly closed in a dry and well-ventilated
areas and containers	place. Containers which are opened must be carefully re-
	sealed and kept upright to prevent leakage. Store in accord-



Revision Date 10.04.2017	Version 3.0	Print Date 19.12.2017
	ance with local regulations.	
Storage class (TRGS 510)	: 12, Non Combustible Liquids	
Other data	: No decomposition if stored and applied as	s directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
triisobutyl phosphate	126-71-6	AGW	50 mg/m3	DE TRGS 900

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection :	Respirator selection must be based on known or anticipated

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] Unitherm[®] Steel W-120



Revision Date 10.04.2017

Version 3.0

exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	viscous liquid
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
Flash point	:	Not applicable
Autoignition temperature	:	Remarks: Not applicable
Decomposition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
рН	:	ca. 9 at 20 °C
Melting point/range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] Unitherm[®] Steel W-120

Revision Date 10.04.2017



2	3 hPa
	a.1,48 g/cm3 it 20 °C
s	oluble
Ν	lo data available
-	a.2.500 mPa.s it 20 °C
	• 20,5 mm2/s t 40 °C
Ν	lo data available
Ν	lo data available
	o a s N c a a N

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Version 3.0

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.



Version 3.0

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

н

Components:

triisobutyl phosphate :

Toxicity to daphnia and other aquatic invertebrates	:	LC50: 11 mg/l, 48 h, Daphnia magna (Water flea)
aquatic invertebrates Toxicity to algae	:	IC50: 34,1 mg/l, 72 h, Desmodesmus subspicatus (green al- gae)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) :

M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 10 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available



Version 3.0

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 In accordance with the EWC Waste Regulation the classification of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular waste identification number.
 Completely emptied packagings may be given for recycling.
 Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor.
 Sika has agreed disposal contracts for all packaging which is brought into circulation in Germany.
 For further details see www.sika.de

SECTION 14: Transport information

ADR Not dangerous goods IATA Not dangerous goods IMDG Not dangerous goods

14.6 Special precautions for user No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable



Version 3.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
Prohibition/Restriction REACH - Restrictions on the ma the market and use of certain da preparations and articles (Annex	: Not applicable			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		: None of the components are listed (=> 0.1 %).		
REACH - List of substances subject to authorisation : (Annex XIV)		: Not applicable		
REACH Information:	All substances containe - preregistered or regis - preregistered or regis - excluded from the reg - exempted from the re	stered by our upstream suppliers, and/or stered by us, and/or gulation, and/or		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
(Germany)	: WGK 1 slightly water e : no VOC duties	ndangering		

VOC-EU (solvent) : Not applicable

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Full text of H-Statements					
H301	Toxic if swallowed.				
H310	Fatal in contact with skin.				
H314	Causes severe skin burns and eye damage.				
H317	May cause an allergic skin reaction.				
H318	Causes serious eye damage.				
H331	Toxic if inhaled.				
H360D	May damage the unborn child.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
H412	Harmful to aquatic life with long lasting effects.				

Full text of other abbreviations

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] Unitherm[®] Steel W-120



Version 3.0



Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage
Repr.	Reproductive toxicity
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitisation
ADR	Accord européen relatif au transport international des marchandises
	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !